

## 1. Namn på ämnet/preparat samt bolaget/företaget

Produktnamn:	FB Överströmsventil
Produktkod:	SGV150
Producent:	Securo AS, Neptunvegen 6, N-7650 Verdal, NORGE
Importör:	EOV Sverige AB Hyvelvägen 3, 444 32 Stenungsund Tel/Fax: 0303-65420 e-post. info@eldochvatten.com

## Innehåll i produkten

FB Överströmsventil består av rostfritt stål och Therm A Flex Intumescentmassa  
Rostfritt stål AISI304, perforerad stålplatta  
Tjocklek 0.56 mm, Hålstorlek 2 mm  
Intumescentmassa: Grafit i PVA (polyvinylalkohol) bindemedel

## 2. Kemisk sammansättning av stålet

Stålet består av järn (Fe) och med följande möjliga tillägg:  
Kol (C) max 0,08%, Mangan (Mn) max 2,0%, Fosfor (P) max 0,045%, Svavel (S) max 0,030%, Krom (Cr) 18,00-20,00%, Nickel (Ni) 8,00-12,00% og Kväve (N) max 0,10%

## 3. Användning av produkten

FB Överströmsventil monteras i väggkonstruktioner på byggplats

## 4. Personligt skydd

På grund av skarpa kanter rekommenderas användning av arbetshandskar

## 5. Första Hjälpen

Vid sårskador, tvätta sår och sätt på plåster/bandage

## 6. Avfallshantering

Avfall bör återvinnas. Kasserade FB Takfotsventiler av rostfritt stål kan säljas och materialet går då till återvinning. Denna recirkulering av stål, gör att denna produkt är ett miljövänligt alternativ. Intumescentmassan kan deponeras som restavfall.



## ATABLAD FB Överströmsventil

2012-10-19

### Säkerhetsdatablad Therm A Flex Intumescentmassa

#### 1. IDENTIFICATION OF THE SUBSTANCES / PREPARATION AND COMPANY / UNDERTAKING

Product name THERM A FLEX  
Supplier: Intumescent Seals  
Division of the Dixon International Group Limited  
Brewery Road  
Pampisford  
Cambridge  
CB22 3EW  
Tel: 01223 832758  
Fax: 01223 837215

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Name	EC No.	CAS No.	Content	Classification
Graphite in PVA polymeric binder				

#### 3. HAZARDS IDENTIFICATION

CLASSIFICATION None hazardous

#### 4. FIRST-AID MEASURES

INHALATION Not applicable  
INGESTION Not applicable  
SKIN CONTACT No known adverse effects  
EYE CONTACT Not applicable

#### 5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA Use fire-extinguishing media appropriate for surrounding materials  
SPECIAL FIREFIGHTING PROCEDURES Cool containers with water spray  
Use self-contained breathing apparatus  
SPECIFIC HAZARDS Fire creates gases/vapours of carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Wear protective clothing as described in Section 8.

#### 7. HANDLING AND STORAGE

USAGE PRECAUTIONS Handle in accordance with guidance for occupational hygiene.  
STORAGE PRECAUTIONS Store in cool dry conditions.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

HAND PROTECTION	Handle in accordance with guidance for occupational hygiene
EYE PROTECTION	Not Applicable
HYGIENE MEASURES	No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Solid
COLOUR	Black
ODOUR	Weak
SOLUBILITY	Insoluble
BULK DENSITY	1.3
FLASH POINT	>100 deg C
AUTO IGNITION TEMPERATURE	>400 deg C

**10. STABILITY AND REACTIVITY**

STABILITY	Stable under normal temperature conditions and recommended use.
CONDITIONS TO AVOID	Strong oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS	Fire creates gases/vapours of carbon monoxide (CO), carbon dioxide (CO <sub>2</sub> )

**11. TOXICOLOGICAL INFORMATION**

NAME	TOXIC DOSE 1 LD50
INHALATION	Not applicable
INGESTION	Not applicable
SKIN CONTACT	Not applicable
EYE CONTACT	Not applicable

**12. ECOLOGICAL INFORMATION**

ECOTOXICITY	No known adverse effects
MOBILITY	Insoluble
BIOACCUMULATION	No known adverse effects
ACUTE FISH TOXICITY	No known adverse effects

**13. DISPOSAL CONSIDERATIONS**

GENERAL INFORMATION	Disposal to licenced disposal site in accordance with local waste disposal authority.
---------------------	---



## DATABLAD FB Överströmsventil

2012-10-19

### 14. TRANSPORT INFORMATION

UK ROAD CLASS

PROPER SHIPPING

Not hazardous for transport

UN No.

IATA CLASS

RID CLASS

ADR CLASS No.

IMDG CLASS

### 15. REGULATORY INFORMATION

LABELLING

Not applicable preformed solid (Article)

CONTAINS

Not applicable

RISK PHRASES

None

SAFETY PHRASES

None

### 16. OTHER INFORMATION

None